


Tiles

Axis



Axis | Tannin

Each Axis tile is a simple fragmented geometric but when put together, has endless configurations for installation. The natural beauty of leather means that no two pieces are exactly alike.

Leather wall tiles add unique material warmth to any space and are easy to install and care for. They have the ability to increase sound dampening when applied to walls and make for tactile inlay on cabinets or table tops. All of our tiles are made from heavy weight leather that we dye by hand.




Axis | Saddle Brown


Tiles

Axis

TILE MEASUREMENTS



LAYOUT SUGGESTIONS



Tiles

Axis



| | |
|---------------|--|
| Pattern | Axis. |
| Material | Solid hand dyed cowhide leather. |
| Leather Type | Smooth and compact grain leather. |
| Finish | Satin-sheen, finished with protective water resistant coating. |
| Weight | 5 - 6 oz. |
| Primary Uses | Indoor wall, surface inlay, headboards. Indoor residential and commercial. |
| Installation | Flat tile edge to edge. Water based contact cement or construction adhesive. *Inquire for full installation guidelines. |
| Acclimation | Tiles should have a minimum of 1 - 2 weeks to acclimate to the area before installation. |
| Benefits | Sound dampening and luxurious. Leather wall tiles add unique material warmth to any space and are easy to install and care for. |
| Minimum Order | 50 sq ft. (4.6 sq m.). |
| Pricing | Sold by the square foot. Comes as individual tiles. |
| Size | 5" x 10" (12.7 cm x 25 cm) *Custom sizes available. |
| Sample Size* | 5" x 7" (12.7 cm x 17.78 cm) *Purchase on product page: www.avoavo.com . |
| Ordering | Orders require a 50% deposit. All inquiries can be made to inquire@avoavo.com . |
| Trade Account | We offer a trade discount to interior designers and architects. Please contact us for a quote. |
| Lead Time | 8 - 10 weeks. |
| Care | For regular care and dusting, tiles can be wiped with a soft dry cloth. If a stain occurs, blot immediately with a clean damp absorbent cloth/sponge. Do not wipe or scrub. Avoid any direct heat on the leather, let air-dry. Occasional use of leather cleaners or conditioners is acceptable if needed, but should be spot tested first as each product may affect the tiles differently. |
| Customization | Size, color and configurations can be customized. See our color library for reference: www.avoavo.com/color . |
| Variations | Leather is a natural product that we dye by hand. Each hide is unique and lots made at different times may vary slightly in color. Avoid exposure to direct sunlight as it might change or fade the color of your leather. |
| Testing | Flame retardant available on request. |
| Manufacture | Hand dyed in Brooklyn. Made in the United States. |